ELSEVIER

Brain Research 903 (2001) 270–272

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Zhang, W.R. (903) 253

Bäckman, C., Hoffer, B.J., Misawa, H. and Morales, M.
Cellular mRNA expression of the transcription factor NGFI-B suggests a gene regulatory role in striatal opiate-peptide neurons (903) 26
Barrett, D., see Nair, H.P. (903) 141
Berndt, J.D., see Nair, H.P. (903) 141
Bijur, G.N., see De Sarno, P. (903) 226
Boczkowski, J., see Peyclit, A. (903) 222
Brinker, T., see Schlosshauer, B. (903) 237
Broberger, C., Holmberg, K., Shi, T.-J., Dockray, G. and Hökfelt, T.
Expression and regulation of cholecystokinin and cholecystokinin receptors in rat nodose and dorsal root ganglia (903) 128

Casamenti, F., see Ishimaru, H. (903) 94
Castro-Souza, C., see Coimbra, N.C. (903) 216
Ceña, V., see Tomé, A.R. (903) 62
Cha, C.I., see Chung, Y.H. (903) 247
Chaban, V.V., McRoberts, J.A., Ennes, H.S. and Mayer, E.A.
Nitric oxide synthase inhibitors enhance mechanosensitive Ca^{2+} influx in cultured dorsal root ganglion neurons (903) 74
Chang, X., see Guo, Q. (903) 13
Chase, M.H., see Fung, S.J. (903) 257
Chiba, S., see Omori, N. (903) 162
Choi, M.-R., see Won, J.-S. (903) 207
Chung, Y.H., Shin, C.-m., Kim, M.J., Shin, D.H., Yoo, Y.B. and Cha, C.I.
Differential alterations in the distribution of voltage-gated calcium channels in aged rat cerebellum (903) 247
Cisse, M., see Karege, F. (903) 86
Coimbra, N.C., Freitas, R.L., Savoldi, M., Castro-Souza, C., Segato, E.N., Kishi, R., Weltson, A. and Resende, G.C.C.
Opioid neurotransmission in the post-ictal analgesia: Involvement of μ_1-opioid receptor (903) 216

Danilova, N.P., see Zhdanova, I.V. (903) 263
DeLorenzo, R.J., see Raza, M. (903) 1
De Montis, M.G., see Masi, F. (903) 102
Dendle, P., see Dong, G.-X. (903) 45
Derkinderen, P., see Peyclit, A. (903) 222
De Sarno, P., Lesort, M., Bijur, G.N., Johnson, G.V.W. and Jope, R.S.
Cholinergic- and stress-induced signaling activities in cells overexpressing wild-type and mutant presenilin-1 (903) 226
Desmonts, J.-M., see Peyclit, A. (903) 222
DeWitt, D.A., see Ghribi, O. (903) 66
Dockray, G., see Broberger, C. (903) 128
Dong, G.-X., Singh, D.K., Dendle, P. and Prasad, R.M.
Regional expression of Bcl-2 mRNA and mitochondrial cytochrome *c* release after experimental brain injury in the rat (903) 45
Du, H., see Guo, Q. (903) 13

Ennes, H.S., see Chaban, V.V. (903) 74
Esashi, A., see Murakami, M. (903) 231

Forbes, M.S., see Ghribi, O. (903) 66
Ford, K., see Stock, H.S. (903) 242
Freitas, R.L., see Coimbra, N.C. (903) 216
Fugleholm, K., see Sørensen, J. (903) 185
Fung, S.J., Yamuy, J., Sampogna, S., Morales, F.R. and Chase, M.H.
Hypocretin (orexin) input to trigeminal and hypoglossal motoneurons in the cat: a double-labeling immunohistochemical study (903) 257

Gambarana, C., see Masi, F. (903) 102
Geday, J., see Smith, D.F. (903) 269
Ghribi, O., DeWitt, D.A., Forbes, M.S., Herman, M.M. and Savory, J.
Co-involvement of mitochondria and endoplasmic reticulum in regulation of apoptosis: changes in cytochrome *c*, Bcl-2 and Bax in the hippocampus of aluminum-treated rabbits (903) 66
Girault, J.-A., see Peyclit, A. (903) 222
González-García, C., see Tomé, A.R. (903) 62
Gonzalez-Lima, F., see Nair, H.P. (903) 141
Goodchild, A.K., see Sun, Q.-J. (903) 198
Guo, Q., Xie, J., Chang, X., Zhang, X. and Du, H.
Par-4 is a synaptic protein that regulates neurite outgrowth by altering calcium homeostasis and transcription factor AP-1 activation (903) 13

Hand, G.A., see Stock, H.S. (903) 242
Hayashi, T., see Zhang, W.R. (903) 253
Herman, M.M., see Ghribi, O. (903) 66
Hoffer, B.J., see Bäckman, C. (903) 26
Hökfelt, T., see Broberger, C. (903) 128
Holmberg, K., see Broberger, C. (903) 128

Ishimaru, H., Casamenti, F., Uéda, K., Maruyama, Y. and Pepeu, G.
Changes in presynaptic proteins, SNAP-25 and synaptophysin, in the hippocampal CA1 area in ischemic gerbils (903) 94
Ishimoto, T., see Omori, N. (903) 162
Iwai, M., see Zhang, W.R. (903) 253
Izaguirre, V., see Tomé, A.R. (903) 62

Jardinaud, F., see Peyclit, A. (903) 222
Johnson, G.V.W., see De Sarno, P. (903) 226
Jope, R.S., see De Sarno, P. (903) 226
Juvin, P., see Peyclit, A. (903) 222

Karege, F., Schwald, M., Lambercy, C., Murama, J.-J., Cisse, M. and Malafosse, A.
A non-radioactive assay for the cAMP-dependent protein kinase activity in rat brain homogenates and age-related changes in hippocampus and cortex (903) 86
Kawabata, A., see Kuroda, R. (903) 110
Kawano, H. and Masuko, S.
Tyrosine hydroxylase-immunoreactive projections from the caudal ventrolateral medulla to the subfornical organ in the rat (903) 154
Kawao, N., see Kuroda, R. (903) 110
Keita, H., see Peyclit, A. (903) 222
Kim, M.J., see Chung, Y.H. (903) 247
Kishi, R., see Coimbra, N.C. (903) 216
Kobayashi, K., see Kohsaka, S. (903) 53
Kohsaka, M., see Kohsaka, S. (903) 53
Kohsaka, S., Kohsaka, M., Mizukami, S., Sakai, T. and Kobayashi, K.
Brainstem activates paroxysmal discharge in human generalized epilepsy (903) 53
Krarup, C., see Sørensen, J. (903) 185
Kuroda, R., Kawao, N., Yoshimura, H., Umeda, W., Takemura, M., Shigenaga, Y. and Kawabata, A.
Secondary somatosensory cortex stimulation facilitates the

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02544-6

antinociceptive effect of the NO synthase inhibitor through suppression of spinal nociceptive neurons in the rat (903) 110

Lambercy, C., see Karege, F. (903) 86
Leclair, O.U., see Zhdanova, I.V. (903) 263
Lesort, M., see De Sarno, P. (903) 226
Loewy, A.D., see Westerhaus, M.J. (903) 117
Lorenc-Koci, E., Wardas, J., Wolfarth, S. and Pilc, A.
(*S*)-4C3HPG, a mixed group I mGlu receptor antagonist and a group II agonist, administered intrastriatally, counteracts parkinsonian-like muscle rigidity in rats (903) 177

Malafosse, A., see Karege, F. (903) 86
Manabe, Y., see Zhang, W.R. (903) 253
Mangiavacchi, S., see Masi, F. (903) 102
Mantz, J., see Peyclit, A. (903) 222
Maruyama, Y., see Ishimaru, H. (903) 94
Masi, F., Scheggi, S., Mangiavacchi, S., Tolu, P., Tagliamonte, A., De Montis, M.G. and Gambarana, C.
Dopamine output in the nucleus accumbens shell is related to the acquisition and the retention of a motivated appetitive behavior in rats (903) 102
Masuko, S., see Kawano, H. (903) 154
Mayer, E.A., see Chaban, V.V. (903) 74
McRoberts, J.A., see Chaban, V.V. (903) 74
Meyer, J.-U., see Schlosshauer, B. (903) 237
Misawa, H., see Bäckman, C. (903) 26
Miyoshi, I., see Murakami, M. (903) 231
Mizukami, S., see Kohsaka, S. (903) 53
Moldovan, M., see Sørensen, J. (903) 185
Morales, F.R., see Fung, S.J. (903) 257
Morales, M., see Bäckman, C. (903) 26
Müller, H.-W., see Schlosshauer, B. (903) 237
Murakami, H., see Murakami, M. (903) 231
Murakami, M., Suzuki, T., Nakagawasai, O., Murakami, H., Murakami, S., Esashi, A., Taniguchi, R., Yanagisawa, T., Tan-No, K., Miyoshi, I., Sasano, H. and Tadano, T.
Distribution of various calcium channel α_1 subunits in murine DRG neurons and antinociceptive effect of ω-conotoxin SVIB in mice (903) 231
Murakami, S., see Murakami, M. (903) 231
Murama, J.-J., see Karege, F. (903) 86
Mutoh, F., see Omori, N. (903) 162

Nadelhaft, I. and Vera, P.L.
Separate urinary bladder and external urethral sphincter neurons in the central nervous system of the rat: simultaneous labeling with two immunohistochemically distinguishable pseudorabies viruses (903) 33
Nagano, I., see Zhang, W.R. (903) 253
Nair, H.P., Berndt, J.D., Barrett, D. and Gonzalez-Lima, F.
Metabolic mapping of brain regions associated with behavioral extinction in preweanling rats (903) 141
Nakagawasai, O., see Murakami, M. (903) 231

Omori, N., Ishimoto, T., Mutoh, F. and Chiba, S.
Kindling of the midbrain periaqueductal gray in rats (903) 162
Ono, K., see Tsumori, T. (903) 168

Pal, S., see Raza, M. (903) 1
Pepeu, G., see Ishimaru, H. (903) 94
Peyclit, A., Keita, H., Juvin, P., Derkinderen, P., Jardinaud, F., Rouellé, D., Boczkowski, J., Desmonts, J.-M., Girault, J.-A. and Mantz, J.
Effects of riluzole on *N*-methyl-D-aspartate-induced tyrosine phosphorylation in the rat hippocampus (903) 222
Pilc, A., see Lorenc-Koci, E. (903) 177
Pilowsky, P.M., see Sun, Q.-J. (903) 198
Prasad, R.M., see Dong, G.-X. (903) 45

Rafiq, A., see Raza, M. (903) 1
Raza, M., Pal, S., Rafiq, A. and DeLorenzo, R.J.
Long-term alteration of calcium homeostatic mechanisms in the pilocarpine model of temporal lobe epilepsy (903) 1
Resende, G.C.C., see Coimbra, N.C. (903) 216
Rosário, L.M., see Tomé, A.R. (903) 62
Rouellé, D., see Peyclit, A. (903) 222

Sakai, T., see Kohsaka, S. (903) 53
Sampogna, S., see Fung, S.J. (903) 257
Sasano, H., see Murakami, M. (903) 231
Sato, K., see Zhang, W.R. (903) 253
Savoldi, M., see Coimbra, N.C. (903) 216
Savory, J., see Ghribi, O. (903) 66
Scheggi, S., see Masi, F. (903) 102
Schlosshauer, B., Brinker, T., Müller, H.-W. and Meyer, J.-U.
Towards micro electrode implants: in vitro guidance of rat spinal cord neurites through polyimide sieves by Schwann cells (903) 237
Schmalbruch, H., see Sørensen, J. (903) 185
Schwald, M., see Karege, F. (903) 86
Segato, E.N., see Coimbra, N.C. (903) 216
Shi, T.-J., see Broberger, C. (903) 128
Shigenaga, Y., see Kuroda, R. (903) 110
Shin, C.-m., see Chung, Y.H. (903) 247
Shin, D.H., see Chung, Y.H. (903) 247
Singh, D.K., see Dong, G.-X. (903) 45
Smith, D.F. and Geday, J.
PET neuroimaging of clomipramine challenge in humans: focus on the thalamus [Brain Research 892 (2001) 193–197] (903) 269
Sørensen, J., Fugleholm, K., Moldovan, M., Schmalbruch, H. and Krarup, C.
Axonal elongation through long acellular nerve segments depends on recruitment of phagocytic cells from the near-nerve environment. Electrophysiological and morphological studies in the cat (903) 185
Stock, H.S., Hand, G.A., Ford, K. and Wilson, M.A.
Changes in defensive behaviors following olfactory bulbectomy in male and female rats (903) 242
Suh, H.-W., see Won, J.-S. (903) 207
Sun, Q.-J., Goodchild, A.K. and Pilowsky, P.M.
Firing patterns of pre-Bötzinger and Bötzinger neurons during hypocapnia in the adult rat (903) 198
Suzuki, T., see Murakami, M. (903) 231

Tadano, T., see Murakami, M. (903) 231
Tagliamonte, A., see Masi, F. (903) 102
Takemura, M., see Kuroda, R. (903) 110
Taniguchi, R., see Murakami, M. (903) 231
Tan-No, K., see Murakami, M. (903) 231
Tolu, P., see Masi, F. (903) 102
Tomé, A.R., Izaguirre, V., Rosário, L.M., Ceña, V. and González-García, C.
Naloxone inhibits nicotine-induced receptor current and catecholamine secretion in bovine chromaffin cells (903) 62
Tsumori, T., Yokota, S., Ono, K. and Yasui, Y.
Organization of projections from the medial agranular cortex to the superior colliculus in the rat: a study using anterograde and retrograde tracing methods (903) 168

Uéda, K., see Ishimaru, H. (903) 94
Umeda, W., see Kuroda, R. (903) 110

Vera, P.L., see Nadelhaft, I. (903) 33

Wang, S.Y., see Zhdanova, I.V. (903) 263
Wardas, J., see Lorenc-Koci, E. (903) 177
Weltson, A., see Coimbra, N.C. (903) 216
Westerhaus, M.J. and Loewy, A.D.
Central representation of the sympathetic nervous system in the cerebral cortex (903) 117
Wilson, M.A., see Stock, H.S. (903) 242
Wolfarth, S., see Lorenc-Koci, E. (903) 177
Won, J.-S., Choi, M.-R. and Suh, H.-W.
Stimulation of astrocyte-enriched culture with C2 ceramide increases proenkephalin mRNA: involvement of

cAMP-response element binding protein and mitogen activated protein kinases (903) 207

Xie, J., see Guo, Q. (903) 13

Yamuy, J., see Fung, S.J. (903) 257

Yanagisawa, T., see Murakami, M. (903) 231

Yasui, Y., see Tsumori, T. (903) 168

Yokota, S., see Tsumori, T. (903) 168

Yoo, Y.B., see Chung, Y.H. (903) 247

Yoshimura, H., see Kuroda, R. (903) 110

Zhang, W.R., Hayashi, T., Iwai, M., Nagano, I., Sato, K., Manabe, Y. and Abe, K.
Time dependent amelioration against ischemic brain damage by glial cell line-derived neurotrophic factor after transient middle cerebral artery occlusion in rat (903) 253

Zhang, X., see Guo, Q. (903) 13

Zhdanova, I.V., Wang, S.Y., Leclair, O.U. and Danilova, N.P.
Melatonin promotes sleep-like state in zebrafish[1] (903) 263